


## Total PAH (Depth-averaged) at Mid-Ebb Tide






Remarks: In accordance with Section 7.9 of the EM&A Manual, the detection limit for Total PAH is 1.60µg/L (0.1 µg/L of individual PAHs).



Works Contract HY/2014/07 – Central Kowloon Route – Kai Tak West

Graphical Presentation of Water Quality Monitoring Results

### Total PAH (Depth-averaged) at Mid-Ebb Tide




Remarks: In accordance with Section 7.9 of the EM&A Manual, the detection limit for Total PAH is 1.60ug/L (0.1 ug/L of individual PAHs).



Works Contract HY/2014/07 – Central Kowloon Route – Kai Tak West

Graphical Presentation of Water Quality Monitoring Results

## Total PAH (Depth-averaged) at Mid-Flood Tide




Remarks: In accordance with Section 7.9 of the EM&A Manual, the detection limit for Total PAH is 1.60µg/L (0.1 µg/L of individual PAHs).



Works Contract HY/2014/07 – Central Kowloon Route – Kai Tak West

Graphical Presentation of Water Quality Monitoring Results

## Total PAH (Depth-averaged) at Mid-Flood Tide



Remarks: In accordance with Section 7.9 of the EM&A Manual, the detection limit for Total PAH is 1.60µg/L (0.1 µg/L of individual PAHs).



Works Contract HY/2014/07 – Central Kowloon Route – Kai Tak West

Graphical Presentation of Water Quality Monitoring Results